

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	15	VCSEL\$1 and (lcc or lga or bga)	USPAT	2003/07/11 12:38	
2	BRS	L2	3	("4843036" "5239198" "5814837").PN.	USPAT	2003/07/11 12:34	
3	BRS	L3	11	5973337.URPN.	USPAT	2003/07/11 12:35	
4	BRS	L4	65	VCSEL\$1 same flip adj chip	USPAT	2003/07/11 12:45	
5	BRS	L5	4	("5136603" "5301201" "5577064" "5606572").PN.	USPAT	2003/07/11 12:40	
6	BRS	L6	3	5757829.URPN.	USPAT	2003/07/11 12:40	
7	BRS	L7	276	VCSEL\$1 same (photodiode\$1 or photosensor\$1 or photodetector\$ 1)	USPAT	2003/07/11 12:52	
8	BRS	L8	4	("4947400" "5101246" "5132982" "5136603").PN.	USPAT	2003/07/11 12:46	
9	BRS	L9	25	5285466.URPN.	USPAT	2003/07/11 12:46	
10	BRS	L10	7	("4906839" "5285466" "5293393" "5361273" "5404373" "5475701" "5491712").PN.	USPAT	2003/07/11 12:48	
11	BRS	L11	3	5905750.URPN.	USPAT	2003/07/11 12:51	
12	BRS	L12	186	two adj dimensional\$3 same vcsl\$1	USPAT	2003/07/11 13:00	
13	BRS	L13	3	("4910571" "5206872" "5283447").PN.	USPAT	2003/07/11 12:55	

	Error Definition	Errors
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	L14	4814	(lasers or diodes) same (photodiode or photodetector or	USPAT	2003/07/11 13:00	
15	BRS	L15	826	14 and calibration	USPAT	2003/07/11 13:01	
16	BRS	L16	65	14 same calibration	USPAT	2003/07/11 13:02	
17	IS&R	L17	1	("6151344").PN	USPAT	2003/07/11 13:03	
18	BRS	L18	77	vcse1\$1 and monitor\$3	EPO; JPO; DERWEN T	2003/07/11 13:04	

	Error Definition	Errors
14		0
15		0
16		0
17		0
18		0